




Fecho de embutir Gravity

Sistema PC-L




MONTAGEM DO FECHO EMBUTIR GRAVITY

GRAVITY HIDDEN LOCK ASSEMBLY
ENSEMBLE DE VERROUILLAGE INTÉGRÉ GRAVITY




201384 FECHO DE EMBUTIR GRAVITY


Utilizar no sistema PC-L
Acabamento: Lacados



205217 CASQUILHO INOX NC 03/04




Material: Inox 316 | Acabamento: Inox




210201 TOPO TERMINAL NC 03/04

Material: ABS | Acabamento: Preto



214371 PONTEIRA INOX M6



Para varão roscado M6
Material: Inox | Acabamento: Inox



206523 TERMINAL INOX D10 MM


Para ponteira Ø10
Material: Inox 316 | Acabamento: Inox



Fecho de embutir Gravity



Sistema PC-L

MONTAGEM DO FECHO EMBUTIR GRAVITY
 GRAVITY HIDDEN LOCK ASSEMBLY
 ENSEMBLE DE VERROUILLAGE INTÉGRÉ GRAVITY





290744

Material: Inox | Acabamento: Inox
 PARAFUSO PKI PH 1/2x10 CQ



NC 03



Fecho de embutir Gravity


Sistema PC-L



MONTAGEM DO FECHO EMBUTIR GRAVITY

GRAVITY HIDDEN LOCK ASSEMBLY


ENSEMBLE DE VERROUILLAGE INTÉGRÉ GRAVITY



Utilizar no sistema PC-L
Acabamento: Lacados

201384


FECHO DE EMBUTIR GRAVITY



Material: Inox 316 | Acabamento: Inox

205217

CASQUILHO INOX NC 03/04



3,5 [6]

22 17/18"

Para fixar o Conj. Topos sup./inf S010 esq. (ref 212299)/dir. (ref 212297) nos aros móveis

Material: Inox | Acabamento: Inox

290031

PARAF. DIN7981 PH 3,5x22 INOX A2

Fecho de embutir Gravity


Sistema PC-L



MONTAGEM DO FECHO EMBUTIR GRAVITY

GRAVITY HIDDEN LOCK ASSEMBLY

ENSEMBLE DE VERROUILLAGE INTÉGRÉ GRAVITY




214358
214359

A medida de corte do varão tem de ter em consideração o curso do fecho de 35mm.
The rod cutting measurement must take into account the 35mm lock travel.
La mesure de coupe de la tige doit tenir compte de la course de verrouillage de 35mm.

214371

Enrosar o varão na ponteira, e enrosar o conjunto no fecho.
Screw the rod into the end cap, and screw the set in the lock.
Vissez la tige sur le capuchon d'extrémité, puis vissez l'ensemble sur la fermeture.



Material: Inox A2
Comprimento: 1m e 2m

214358
214359

VARÃO ROSCADO INOX M6 (1M)
VARÃO ROSCADO INOX M6 (2M)



Para varão roscado M6
Material: Inox | Acabamento: Inox

214371

PONTEIRA INOX M6




Para ponteira Ø10
Material: Inox 316 | Acabamento: Inox


206523

TERMINAL INOX D10 MM

Instalar alinhado com a ponteira no pavimento ou no perfil, o terminal de fecho.
Install the end cap lock aligned with the rod.
Installez le verrou d'extrémité aligné avec la tige.



Furação do perfil PC 40
Drilling of the PC40 profile.
Perçage du profil PC40.







Fecho de embutir Gravity

Sistema PC-L

MONTAGEM DO FECHO EMBUTIR GRAVITY GRAVITY HIDDEN LOCK ASSEMBLY ENSEMBLE DE VERROUILLAGE INTÉGRÉ GRAVITY



NC 04

